

Recurrent Miscarriage

1. Li TC (1998) Guides for Practitioners. Recurrent miscarriage: principles of management. *Human Reprod* 13: 478-482
2. Alton CF, Laird SM, Serle E, Saravelos H, Warren MA, Li TC, Bolton A(1995) The measurement of CA125 and placental protein 14 in uterine flushings in women with recurrent miscarriage; correlation to endometrial morphology. *Hum Reprod* 10: 2680-2684
3. Li TC, Spuijbroek MDEH, Tuckerman E, Anstie B, Loxley M, Laird S (2000) Endocrinological and Endometrial factors in recurrent miscarriage. *Br J Obstet Gynaecol* 107: 1471-79
4. Jivraj S, Anstie B, Cheong Y-C, Fairlie FM, Laird SM, Li TC (2001) Obstetric and neonatal outcome in women who had a history of recurrent miscarriage: a cohort study. *Hum Reprod* 16: 102-106
5. Li TC, Ding SH, Anstie B, Tuckerman E, Wood K, Laird S (2001) Use of human menopausal gonadotrophins in the treatment of endometrial defect associated with recurrent miscarriage: a preliminary report. *Fertil Steril* 75: 434-437
6. Laird SM, Quinton ND, Anstie B, Li TC, Blakemore AIF (2001) Leptin and leptin binding protein activity in women with recurrent miscarriage; correlation with pregnancy outcome. *Human Reprod* 16: 2008-13
7. Li TC, Tuckerman EM, Laird SM (2002) Endometrial factors in recurrent miscarriage. *Human Reprod Update* 8: 43-52
8. Li TC, Makris M, Tomsu M, Tuckerman E, Laird S (2002) Recurrent miscarriage: Aetiology, management and prognosis. *Human Reprod Update* 8: 463-481
9. Laird SM, Tuckerman EM, Cooke BA, Linjawi S, Li TC (2003) A review of immune cells and molecules in women with recurrent miscarriage. *Hum Reprod Update* 9:163-174
10. Tuckerman E, Laird SM, Stewart R, Wells M, Li TC (2004) Markers of endometrial function in women with unexplained recurrent pregnancy loss: a comparison between morphologically normal and retarded endometrium. *Human Reprod* 19:196-205
11. Linjawi S, Li TC, Tuckerman EM, Blakemore AIF, Laird SM (2004) Expression of Interleukin-11 receptor and Interleukin-11 protein in the endometrium of normal fertile women and women with recurrent miscarriage. *J. Reprod Immunol* 64: 145-55

12. Christensen OM, Andersen A-MN, Bosch E, Daya S, Delves PJ, Hviid TC, Kutteh WH, Laird SM, Li TC, Ven K vd (2005) Evidence-based investigation and treatments of recurrent pregnancy loss. *Fertil Steril* 83: 821-39
13. Linjawi S, Li TC, Laird SM, Blakemore AIF (2005) Interleukin-I receptor antagonist and Interleukin-I beta polymorphisms in women with recurrent miscarriage. *Fertil Steril*. 83: 1549-52
14. Prakash A, Laird SM, Tuckerman EM, Li TC, Ledger WL (2005) Inhibin A and activin A may be used to predict pregnancy outcome in women with recurrent miscarriage. *Fertil Steril*. 83: 1758-63
15. Ola B, Li TC (2006) Implantation failure following in-vitro fertilisation. *Current Opinion in Obstetrics and Gynaecology* 18:440-445
16. Laird SM, Tuckerman EM, Li TC (2006) Cytokine expression in the endometrium of women with implantation failure and recurrent miscarriage. *Reproductive Biomedicine online* 13:13-23
17. Prakash A, Laird S, Li TC, Ledger WL (2006) Preliminary prospective study of the endocrinology of conception cycles and early pregnancy in women with anti-phospholipid syndrome treated with low molecular weight heparin. *Fertil & Steril* 85:165-70
18. Prakash A, Li TC, Laird S, Nargund G, Ledger WL (2006) Absence of the follicular phase defect in women with recurrent miscarriage. *Fertil Steril* 85:1784-90
19. Tuckerman E, Laird SM, Li TC (2006) Expression of integrins in the endometrium of women with recurrent miscarriage. *Fertil Steril* 86: 755-757
20. Prakash A, Li TC, Tuckerman E, Laird S, Wells M, Ledger WL (2006) A study of luteal phase expression of inhibin, activin and follistatin subunits in the endometrium of women with recurrent miscarriage. *Fertil Steril* 86: 1723-30
21. Metwally M, Laird S, Tuckerman E, Leger WL, Li TC (2007). Impact of high body mass index on endometrial morphology and function in the peri-implantation period in women with recurrent miscarriage. *Reproductive Biomedicine On-line* 14: 328-334
22. Tuckerman E, Laird SM, Prakash A, Li TC (2007) Prognostic value of the measurement of uterine natural killer cells (uNK) in the endometrium of women with recurrent miscarriage. *Hum Reprod* 22: 2208-2213

23. Prakash A, Li TC, Nargund G, Laird S, Wells M, Ledger WL (2008) A preliminary study comparing the endometrial expression of inhibin, activin and follistatin in women with a history of implantation failure after IVF treatment and a control group. *BJOG* 115: 532-7
24. Cocksedge KA, Saravelos SA, Wang Q, Tuckerman E, Laird SM, Li TC (2008) Does free androgen index predict subsequent pregnancy outcome in women with recurrent miscarriage? *Hum Reprod* 23: 797-802
25. Metwally M, Ong K, Li TC, Ledger WL (2008). Does high body mass index increase the risk of miscarriage after spontaneous and assisted conception? A Meta-analysis of the evidence. *Fertil Steril* 90: 714-26
26. Cocksedge KA, Li TC, Saravelos SH, Metwally M (2008) A reappraisal of the role of polycystic ovary syndrome in recurrent miscarriage. *Reprod Biomed Online* 17: 151-60
27. Saravelos SH, Cocksedge KA, Li TC (2008) Prevalence and diagnosis of congenital uterine anomalies in women with recurrent miscarriage: a critical appraisal. *Hum Reprod Update* 14: 415-29
28. Wang Q, Li TC, Wu Y-P, Cocksedge K, Fu Y-S, Kong Q-Y, Yao S-Z (2008) Reappraisal of peripheral NK cells and its subsets in women with recurrent miscarriage. *Reprod Biomed Online* 17: 814-819
29. Jivraj S, Makris M, Saravelos S, Li TC (2009) Pregnancy outcome in women with factor V Leiden and recurrent miscarriage. *BJOG* 116: 995-998
30. Mo D, Saravelos S, Metwally M, Makris M, Li TC (2009) The treatment of recurrent miscarriage and antiphospholipid syndrome with low dose enoxaparin and aspirin. *Reprod Biomed Online* 19: 216-220
31. Cocksedge KA, Saravelos SH, Metwally M, Li TC (2009) How common is polycystic ovarian syndrome in recurrent miscarriage? *RBM Online* 19: 572-576
32. Metwally M, Saravelos SH, Ledger WL, Li TC (in press) The body mass index and the risk of miscarriage in women with recurrent miscarriage. *Fertil Steril*
33. Anumba DOC, Elgelany S, Elliott SL, Li TC (in press) Serum relaxin levels are reduced in pregnant women with a history of recurrent miscarriage, and correlate with maternal uterine artery doppler indices in first trimester. *European J Obstet Gynecol*